

LIGHTED MIRRORS

LED BACKLIT MIRROR











HT-LM03

FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL,TUV/CE, SAA Certified meanwell LED drivers

110/230V. 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22"- 42")

Custom sizing available

△(€) (⊕) (⊌) (⊌) (⊌)

T5 Lighting Option available

FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL, TUV/CE, SAA Certified meanwell LED drivers 110/230V. 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22"- 42")

Custom sizing available

T5 Lighting Option available

FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL, TUV/CE, SAA Certified meanwell LED drivers

110/230V. 50/60HZ

Standard sizing ranges:

HT-LM04

- Width (24"- 60") - Height (22"- 42")

Custom sizing available

T5 Lighting Option available

FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL, TUV/CE, SAA Certified meanwell LED drivers

110/230V. 50/60HZ

Standard sizing ranges:

HT-LM05

- Width (24" - 60") - Height (22"- 42")

Custom sizing available

T5 Lighting Option available

FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL, TUV/CE, SAA Certified meanwell LED drivers

110/230V. 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22"- 42")


Custom sizing available


T5 Lighting Option available













OPTIONS:











OPTIONS:













OPTIONS:







OPTIONS:

























LIGHTED MIRRORS

LED BACKLIT MIRROR









HT-LM14

FEATURES:

Low energy, High brightness SMD 5050 LED'S IP44 Rated - Safe for use in bathrooms

UL,TUV/CE, SAA Certified meanwell LED drivers 110/230V, 50/60HZ

Standard diameter sizes: 30", 32", 36"

Custom sizing available

△(€(@(55,@),

T5 Lighting Option available

FEATURES:

HT-LM15

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL, TUV/CE, SAA Certified meanwell LED drivers 110/230V. 50/60HZ

Standard sizing ranges:

- Width (24" - 60") - Height (22" - 42")

Custom sizing available

<u>∆(€ @GS</u> .⊕ "

T5 Lighting Option available

FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL,TUV/CE, SAA Certified meanwell LED drivers

110/230V. 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22"- 42")

Custom sizing available

△(€ (**©**(**5**).(**1**)...

T5 Lighting Option available

FEATURES:

LED backlit mirror and surrounding illuminated frosted strips

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL.TUV/CE, SAA Certified meanwell LED drivers

110/230V, 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22" - 42")

Custom sizing available

△(€ @g≤5.⊕_w

T5 Lighting Option available



FEATURES:

LED backlit mirror and surrounding illuminated frosted strips

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL.TUV/CE, SAA Certified meanwell LED drivers

110/230V, 50/60HZ

Standard sizing ranges:


- Width (24" - 60") - Height (22" - 42")

Custom sizing available




T5 Lighting Option available











OPTIONS:















OPTIONS:







88:88 LED Clock





OPTIONS:















OPTIONS:





















LIGHTED MIRRORS

LED BACKLIT MIRROR



HT-LM20

HT-LM55



HT-LM56



HT-LM72

MIRROR TV

Mirror TV options are available for the following models:



HT-LM03

FEATURES:

LED backlit mirror with heated mirror pad and two horizontal illuminated frosted strips

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL.TUV/CE, SAA Certified meanwell LED drivers 110/230V, 50/60HZ


Standard sizing ranges:

- Height (22"- 42") - Width (24" - 60")

Custom sizing available

A(((() ()) A

T5 Lighting Option available



FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL, TUV/CE, SAA Certified meanwell LED drivers


110/230V, 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22"- 42")

Custom sizing available

T5 Lighting Option available



FEATURES:

Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL,TUV/CE, SAA Certified meanwell LED drivers


110/230V, 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22"- 42")

Custom sizing available

T5 Lighting Option available



FEATURES:

High quality Aluminum frame around the mirror Low energy, High brightness SMD 5050 LED'S

IP44 Rated - Safe for use in bathrooms

UL, TUV/CE, SAA Certified meanwell LED drivers


110/230V, 50/60HZ

Standard sizing ranges:

- Width (24"- 60") - Height (22"- 42")

Custom sizing available

T5 Lighting Option available



OPTIONS:

















HT-LM18

HT-LM04



HT-LM19

OPTIONS:



OPTIONS:





































LIGHTED MIRRORS

LED BACKLIT MIRRORED CABINETS







Low energy, High brightness SMD 5050 LED'S

UL,TUV/CE, SAA Certified meanwell LED drivers

HT-LM92B - 40" x 24"

HT-LM92C - 48" x 24"

IP44 Rated - Safe for use in bathrooms

Size(WxH): HT-LM92 - 36" x 24"

T5 Lighting Option available

OPTIONAL FEATURES



Motion (M)

Motion sensor On-Off switch



Touch Sensor (T)

Innovative and attractive touch sensor with LED nightlight. Blue light alows when the mirror is



Glass Shelf (G)

6mm transparent or



Rocker On-Off Switch (R)

IP44 rated switch

sandblasted tempered glass shelf with chrome



Defogger System (D)

Heated pad system to prevent steam buildup on the mirror



Single Voltage Shaver Socket (S)

IP44 rated socket for shavers, hair dryers or



electric toothbrushes



LED Digital Clock (C)

Embedded Digital LED clock



Dual Voltage Shaver Socket (DV)

IP44 rated sockets for shavers, hair dryers or electric toothbrushes



devices



Internal TV

This option available for HT-LM03, HT-LM04. HT-LM18 and HT-LM19



Low energy, High brightness SMD 5050 LED'S

UL,TUV/CE, SAA Certified meanwell LED drivers

IP44 Rated - Safe for use in bathrooms

T5 Lighting Option available

HT-LM90A

FEATURES:

110/230V, 50/60HZ

Size(WxH): 26" x 24"

Custom sizing available



HT-LM91

Low energy, High brightness SMD 5050 LED'S IP44 Rated - Safe for use in bathrooms

UL,TUV/CE, SAA Certified meanwell LED drivers

110/230V, 50/60HZ

Size(WxH): HT-LM91 - 20" x 28"

HT-LM91A - 40" x 28" HT-LM91B - 48" x 28"

Custom sizing available

FEATURES:

T5 Lighting Option available











FEATURES:

110/230V, 50/60HZ

Custom sizing available



OPTIONS:











OPTIONS:













